SAFETY DATA SHEET



Revision date 09-Aug-2022

Revision Number 1

1. Identification

Product identifier

Product Name C-43 Wasabi

Other means of identification

Product Code(s) FG00109

Synonyms 39412M

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

| Acute toxicity - Oral | Category 4 |
|----------------------------------------------------|------------|
| Skin sensitization | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H373 - May cause damage to organs through prolonged or repeated exposure



Physical state Liquid

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

24.93885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 37.03885 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 50.82885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 50.82885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 40.19885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

| Chemical name | CAS No | Weight-% |
|-------------------------------------------|------------|----------|
| Quartz | 14808-60-7 | 10 - 20 |
| Wollastonite (Ca(SiO3)) | 13983-17-0 | 10 - 20 |
| Frits, chemicals | 65997-18-4 | 10 - 20 |
| Kaolin | 1332-58-7 | 3 - <5 |
| C.I. Pigment Yellow 159 | 68187-15-5 | 1 - <3 |
| Aluminum oxide (Al2O3) | 1344-28-1 | 1 - <3 |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol | 4719-04-4 | 0.1 - 1 |

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| TWA: 0.025 mg/m³ respirable particulate matter TWA: 0.025 mg/m³ respirable particulate matter TWA: 0.025 mg/m³ respirable fraction (250)/(%SiO2 + 5) mppcf TWA respirable fraction (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction TWA: 1 mg/m³ inhalable particulate matter containing no asbestos and <1% crystalline silica TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction TWA: 5 mg/m³ so total dust TWA: 5 mg/m³ so total dust TWA: 5 mg/m³ So TWA: 0.01 mg/m³ As TWA: 0.01 mg/m³ Cd TWA: 0.02 mg/m³ Cd TWA: 0.02 mg/m³ Sb TWA: 0.09 mg/m³ Cd TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Cd TWA: 5 mg/m³ Zr TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Cd TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Xr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable particulate matter | tal dust rable dust As dust and 3 Sb |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Wollastonite (Ca(SiO3)) 13983-17-0 TWA: 1 mg/m³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica TWA: 5 mg/m³ total dust (vacated) TWA: 5 mg/m³ Sb TWA: 0.01 mg/m³ Cd TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Mn IDLH: 100 mg/m³ Ceiling: 5 mg/m³ Mn IDLH: 100 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.005 mg/m³ Ceiling: 0 | tal dust rable dust As dust and ³ Sb I dust and |
| Wollastonite (Ca(SiO3)) TWA: 1 mg/m³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica TWA: 5 mg/m³ total dust TWA: 5 mg/m³ total dust (vacated) TWA: 5 mg/m³ total dust TWA: 5 mg/m³ as TWA: 5 mg/m³ as TWA: 5 mg/m³ bb TWA: 5 mg/m³ bb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zc (vacated) TWA: 5 mg/m³ Zc (vacated) STEL: 10 mg/m³ Zc | As dust and 3 Sb I dust and |
| STEL: 10 mg/m³ Inhalable particulate matter containing no asbestos and <1% crystalline silica TWA: 15 mg/m³ respirable fraction TWA: 5 mg/m³ respirable fraction TWA: 5 mg/m³ respirable fraction TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ Storespirable fraction (vacated) TWA: 5 mg/m³ Storespirable fraction (vacated) TWA: 5 mg/m³ As TWA: 0.01 mg/m³ As TWA: 0.01 mg/m³ Cd TWA: 0.05 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Cd (vacated) Ceiling: 5 mg/m³ Ceiling: 0.002 mg/m³ Cd (vacated) TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust and mist TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg | As dust and 3 Sb I dust and |
| particulate matter, particulate matter containing no asbestos and <1% crystalline silica Frits, chemicals 65997-18-4 STEL: 10 mg/m³ Zr TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.02 mg/m³ Cd respirable particulate matter TWA: 0.02 mg/m³ Cu dust and mist TWA: 0.02 mg/m³ Mr respirable particulate matter in the absence of cobalt TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ As TWA: 0.9 mg/m³ As TWA: 0.9 mg/m³ Sb TWA: 0.5 mg/m³ Sb TWA: 0.5 mg/m³ Sc (vacated) TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.005 mg/m³ TWA: 1 mg/m³ Cu du | As dust and 3 Sb |
| matter containing no asbestos and <1% crystalline silica Frits, chemicals 65997-18-4 STEL: 10 mg/m³ Zr TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Cb TWA: 0.5 mg/m³ C | As dust and ³ Sb I dust and |
| Frits, chemicals 65997-18-4 STEL: 10 mg/m³ Zr TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.01 mg/m³ Cd TWA: 0.02 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu dust TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 1 mg/m³ Cu dust TWA: 1 mg/m³ As TWA: 10 mg/m³ As | dust and ³ Sb ı dust and |
| Frits, chemicals 65997-18-4 STEL: 10 mg/m³ Zr TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.01 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cd udust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable respirable fraction TWA: 10 μg/m³ As TWA: 50 μg/m³ Pb TWA: 50.5 mg/m³ Sb TWA: 0.5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m³ TWA: 0.5 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m³ TWA: 1 mg/m³ Cu du | dust and ³ Sb ı dust and |
| TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.01 mg/m³ Cd TWA: 0.02 mg/m³ Cd TWA: 0.002 mg/m³ Cd TWA: 0.5 mg/m³ Sb TWA: 0.5 mg/m³ Cd TWA: 0.5 mg/m³ Cd TWA: 0.5 mg/m³ Cd TWA: 0.5 mg/m³ Zr TWA: 0.5 mg/m³ Sb TWA: 0.5 mg/m³ Sb TWA: 0.5 mg/m³ Mn TWA: 0.5 mg/m³ Db TWA: 0.5 mg/m³ Zr (vacated) TWA: 0.5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Ceiling: 5 mg/m³ Mn TDLH: 100 mg/m³ IDLH: 100 mg/m³ IDLH | dust and ³ Sb ı dust and |
| TWA: 0.05 mg/m³ Pb TWA: 0.01 mg/m³ Cd TWA: 0.002 mg/m³ Cd TWA: 0.002 mg/m³ Cd TWA: 0.5 mg/m³ Sb TWA: 0.5 mg/m³ Mn TDLH: 100 mg/m³ IDLH: 100 mg/m³ | ³ Sb ı dust and |
| TWA: 0.05 mg/m³ Cd TWA: 0.002 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m³ Coated) TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) STEL: 10 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m³ Coated) TWA: 5 mg/m³ Zr (vacated) TW | ı dust and |
| TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Sb (vacated) TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Mn IDLH: 500 mg/m³ IDLH: 25 mg/m³ Ceiling: 5 mg/m³ Mn IDLH: 100 mg/m³ IDLH: 100 mg/m³ Ceiling: 5 mg/m³ Mn IDLH: 100 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.05 m | ı dust and |
| respirable particulate matter TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable (vacated) TWA: 5 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ V fume 15 mir TWA: 0.5 mg/m TWA: 1 mg/m³ Cu du | |
| TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr (vacated) STEL: 10 mg/m³ Zr (vacated) Ceiling: 5 mg/m³ Ceiling: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable | ³ Mn |
| TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 1 mg/m³ Cu dust and mist (vacated) STEL: 10 mg/m³ Ceiling: 5 mg/m³ Ceiling: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m TWA: 1 mg/m³ Cu dust TWA: | |
| TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Mn inhalable (vacated) Ceiling: 5 mg/m³ Mn Ceiling: 5 mg/m³ Mn IDLH: 100 mg/m³ Ceiling: 0.002 mg/m³ Ceiling: 0.05 mg/m³ TWA: 0.5 mg/m³ TWA: 0.1 mg/m³ Mn inhalable | ³ Zr |
| particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu du | |
| TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 0.1 mg/m³ Cu du | |
| TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable TWA: 0.1 mg/m ³ Cu du | As 15 mir |
| particulate matter TWA: 0.1 mg/m³ Mn inhalable TWA: 1 mg/m³ Cu du | √ dust and |
| TWA: 0.1 mg/m ³ Mn inhalable TWA: 1 mg/m ³ Cu du | |
| | |
| I IVVA. I MQ/M² | |
| TWA: 5 mg/m ³ e | |
| Zirconium tetrachlo | oride Zr |
| TWA: 0.050 mg/r | |
| TWA: 0.015 mg/m ² Nickel carbony | l Ni |
| STEL: 3 mg/m ³ | |
| STEL: 10 mg/m | |
| Kaolin TWA: 2 mg/m ³ particulate TWA: 15 mg/m ³ total dust TWA: 10 mg/m ³ to 1332-58-7 matter containing no ashestos TWA: 5 mg/m ³ roopirship TWA: 5 mg/m ³ roopirship | |
| and <1% crystalline silica, fraction | able dust |
| respirable particulate matter (vacated) TWA: 10 mg/m ³ total dust | |
| (vacated) TWA: 5 mg/m ³ respirable fraction | |
| C.I. Pigment Yellow 159 STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr IDLH: 25 mg/m | |
| 68187-15-5 TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr TWA: 5 mg/m ³ e | |
| (vacated) STEL: 10 mg/m ³ Zr Zirconium tetrachlo STEL: 10 mg/m | |
| Aluminum oxide (Al2O3) TWA: 1 mg/m ³ respirable TWA: 15 mg/m ³ total dust | <u> </u> |
| 1344-28-1 particulate matter TWA: 5 mg/m³ respirable fraction | <u>. </u> |
| (vacated) TWA: 10 mg/m ³ total | <u> 1 </u> |

| dust | |
|------------------------------------|--|
| (vacated) TWA: 5 mg/m ³ | |
| respirable fraction | |

Biological occupational exposure limits

| Chemical name | ACGIH |
|------------------|----------------------------------------------------|
| Frits, chemicals | 200 μg/L - blood (Lead) - not critical |
| 65997-18-4 | 5 μg/g creatinine - urine (Cadmium) - not critical |
| | 5 μg/L - blood (Cadmium) - not critical |

Appropriate engineering controls

Engineering controls Showers

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

None known

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

immediately after handling the product.

Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Color

Odor

Odor threshold

| <u>Property</u> | <u>Values</u> | Remarks • Method |
|-----------------|-------------------|------------------|
| рН | No data available | None known |

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known range

Flash point No data available

None known **Evaporation rate** No data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure Relative vapor density No data available

Relative density No data available Water solubility No data available Solubility(ies) No data available **Partition coefficient** No data available

Autoignition temperature 410

Decomposition temperature None known Kinematic viscosity No data available None known No data available **Dynamic viscosity** None known

Other information

Explosive properties No information available Oxidizing properties No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 686.40 mg/kg
ATEmix (dermal) 10,587.00 mg/kg
ATEmix (inhalation-dust/mist) 8.44 mg/l

Unknown acute toxicity

24.93885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

37.03885 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.82885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50.82885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

40.19885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------------------------------|----------------------|----------------------|----------------------------------------------------|
| Wollastonite (Ca(SiO3)) 13983-17-0 | > 5000 mg/kg (Rat) | - | - |
| Frits, chemicals 65997-18-4 | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| Kaolin 1332-58-7 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | - |
| C.I. Pigment Yellow 159 68187-15-5 | - | - | > 5.5 mg/L (Rat) 4 h |
| Aluminum oxide (Al2O3) 1344-28-1 | > 5000 mg/kg (Rat) | - | - |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol 4719-04-4 | = 763 mg/kg (Rat) | > 4000 mg/kg (Rat) | = 0.4 mg/L (Rat) 4 h = 0.338 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-------------------------|-------|----------|------------------------|------|
| Quartz | A2 | Group 1 | Known | X |
| 14808-60-7 | | | | |
| Wollastonite (Ca(SiO3)) | - | Group 3 | - | - |
| 13983-17-0 | | | | |
| Frits, chemicals | A1 | Group 1 | Known | X |
| 65997-18-4 | A3 | Group 2B | Reasonably Anticipated | |
| | A2 | Group 2A | | |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central

Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic

System, prostate, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|------|-------------|-----------|

| | | | microorganisms | |
|------------------|---|------------------------|----------------|---|
| 1,3,5-Triazine- | - | LC50: =16.07mg/L (96h, | - | - |
| 1,3,5(2H,4H,6H)- | | Danio rerio) | | |
| triethanol | | · | | |
| 4719-04-4 | | | | |

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT Not regulated

UN number or ID number Packing group

UN3082

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

| Chemical name | CAS No | US TSCA Inventory listing | US TSCA inactive/active |
|-----------------------------------------------|------------|---------------------------|-------------------------|
| | | | designation |
| Water | 7732-18-5 | Present | Active |
| Quartz | 14808-60-7 | Present | Active |
| Wollastonite (Ca(SiO3)) | 13983-17-0 | Present | Active |
| Frits, chemicals | 65997-18-4 | Present | Active |
| Nepheline syenite | 37244-96-5 | - | Unknown * |
| Kaolin | 1332-58-7 | Present | Active |
| C.I. Pigment Yellow 159 | 68187-15-5 | Present | Active |
| Aluminum oxide (Al2O3) | 1344-28-1 | Present | Active |
| Sodium carboxymethyl cellulose | 9004-32-4 | Present | Active |
| Smectite-group minerals | 12199-37-0 | Present | Active |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol | 4719-04-4 | Present | Active |
| Hematite, chromium green black | 68909-79-5 | Present | Active |
| Polyphosphoric acids, sodium salts | 68915-31-1 | Present | Active |

| Ethanolamine 141-43-5 Present Active | Ethanolamine | 141-43-5 | | Active |
|--------------------------------------|--------------|----------|--|--------|
|--------------------------------------|--------------|----------|--|--------|

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % | |
|------------------------------------|-------------------------------|--|
| Frits, chemicals - 65997-18-4 | 0.1 | |
| | 1.0 | |
| Aluminum oxide (Al2O3) - 1344-28-1 | 1.0 | |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Frits, chemicals 65997-18-4 | - | Х | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

| New Jersey | Massachusetts | Pennsylvania |
|------------|--------------------|--------------------------|
| - | - | X |
| | | |
| Х | X | X |
| Х | X | X |
| Х | - | Х |
| | New Jersey - X X X | New Jersey Massachusetts |

| Kaolin 1332-58-7 | X | X | X |
|-------------------------------------------|---|---|---|
| Aluminum oxide (Al2O3) 1344-28-1 | Х | Х | Х |
| Hematite, chromium green black 68909-79-5 | X | - | X |
| Ethanolamine 141-43-5 | X | Х | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards 2Flammability 0Instability 0Special hazards -HMISHealth hazards 2 *Flammability 0Physical hazards 0Personal protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 09-Aug-2022 Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet