

STONEWARE GLAZES

SAFETY DATA SHEET (SDS)

Version: 02

According to: OSHA Hazard Communication Standard

Date of Issue: October 31, 2023 29 CFR 1910.1200(g) Rev. 2012

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: STONEWARE GLAZES

Product Colors: BLACK WALNUT (SW104), GREEN TEA (SW108), OLIVINE (SW127), MIRROR

BLACK (SW132), ÀURORÁ GREEN (SW146), OLÍVE FLOAT (SW151), SATIN PATINA (SW164), SAND & SEA (SW167), EMERALD (SW210), BLUE OPAL

(SW252), COPPER WASH (SW304), RAINFOREST (SW185), LIGHT FLUX (SW401), DARK FLUX (SW402), ANTIQUE BRASS (SW182), OXBLOOD (SW183), SPECKLED

TOAD (SW184), IVY (SW193)

Product sizes: 4 fl. oz., 16 fl. oz. (1 pint), 128 fl. oz. (1 gallon)

Other Means of Identification: None known

Product Description: Liquid formulations intended to be used for arts and crafts purposes.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): Use product for its intended purpose as a glaze product intended for arts and crafts

purposes. This product is intended for small batch use.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Mayco Colors

4077 Weaver Court South

Hilliard, OH 43026

Business Phone: 614-675-1171

Email: info@maycocolors.com

1.4 Emergency telephone number

Emergency Telephone: Contact the local poison control centre.

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2012

Health	Environment ^{a, b}	Physical
H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract)	H400: Hazardous to the aquatic environment - short term (acute) hazard (Category 1) H410: Hazardous to the aquatic environment - long term (chronic) hazard (Category 1)	Not classified

This SDS applies to the product line, as such the environmental classifications listed do not pertain to all colors. It should be noted that some colors may present environmental concerns to a lesser degree (i.e., Category 2, 3 or 4) and some colors may present no concerns.

b Environmental hazards are outside the scope of OSHA; therefore, product classification for chronic aquatic toxicity

(Category 4) is not mandatory.

2.2. Label elements

Label Pictogram:



Signal Word: Warning

Hazard statements & Precautions:

Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract) (H371)

May cause irritation to gastrointestinal tract through oral exposure.

P260: Do not breathe mist/vapour/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P308 + P316: IF exposed or concerned: Get emergency medical help

immediately.

P405: Store locked up.

P501: Dispose of contents/container in accordance with local/regional/national/

and/or international regulations.

Acute aquatic toxicity (Category 1) (H400) Chronic aquatic toxicity (Category 1) (H410)

Very toxic to aquatic life with long lasting effects.

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with local, regional, national,

and/or international regulation.

Supplemental Hazard Information: None

2.3. Other hazards

No other hazards have been identified for this product.

Section 3 - Composition / Information on Ingredients

3.1 Substances

The product is a mixture and not a substance.

3.2 Mixture

Chemical Name	CAS No.	EC No.	% Concentration ^a	GHS Hazards
Quartz (crystalline silica)	14808-60-7	238-878-4	up to 27.2855%	H350: Carcinogenicity (Category 1) (Inhalation); H372: Specific target organ toxicity (repeated exposure, Category 1, lungs)
Cupric oxide	1317-38-0	215-269-1	up to 21.1984%	H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract); H400: Hazardous to the aquatic environment - short term (acute) hazard (Category 1); H410: Hazardous to the aquatic environment – long term (chronic) hazard (Category 1)
Cobalt (II, III) oxide	1308-06-1	215-157-2	up to 1.8390%	H334: Respiratory sensitization (Category 1B); H412: Hazardous to the aquatic environment – long term (chronic) hazard (Category 3)

Titanium dioxide	13463-67-7	236-675-5	up to 0.9138%	H351: Carcinogenicity (Category 2) (Inhalation)
Zinc oxide	1314-13-2	215-222-5	up to 8.6029%	H371: Specific target organ toxicity (single exposure, Category 2, gastrointestinal tract); H400: Hazardous to the aquatic environment – short term (acute) hazard (Category 1); H410: Hazardous to the aquatic environment – long term (chronic) hazard (Category 1)
Manganese dioxide	1313-13-9	215-202-6	up to 21.1884%	H302: Acute toxicity - oral (Category 4); H332: Acute toxicity - inhalation (Category 4)
Boron oxide ^b	1303-86-2	215-125-8	up to 1.8276%	H360FD: Reproductive toxicity (Category 1B; may damage fertility or the unborn child)
Feldspar	68476-25-5	270-666-7	up to 25.7005%	H335: Specific target organ toxicity (single exposure, Category 3, respiratory irritation); H319: Eye Irritation (Category 2)
Zinc pyrithione	13463-41-7	236-671-3	up to 0.0070%	H301: Acute toxicity - oral (Category 3); H318: Eye damage (Category 1); H330: Acute toxicity – inhalation (Category 2); H372: Specific target organ toxicity (repeated exposure, Category 1); H360D: Reproductive toxicity (Category 1B) (May damage the unborn child) H401: Acute aquatic toxicity (Category 1); H411: Chronic aquatic toxicity (Category 1)

- Concentrations are calculated as a maximum across all products, rather than by color.
- The hazardous boron listed as part of this product is completely incorporated into the glassy structure of the frit, chemically reacted in the form of silicates or other essentially insoluble complexes. Exposure to the hazardous ingredient can occur if the ingredients dissolve out of the glass. Because of the chemical stability of frits and its resistance to attack by acids or alkali, this is anticipated to occur very slowly. To date, there is no significant evidence of adverse effects from industrial exposures.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain quartz (CAS No.14808-60-7) and titanium dioxide (CAS No. 13463-67-7) which may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid glaze) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

Assessment of this product was based on the assumption that the glaze will not be sanded after it has been fired in the kiln.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Seek medical attention if in doubt.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Not required

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, water spray, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- See also Section 10 Stability and Reactivity.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

Emergency Procedures: Evacuate personnel to safe areas.

6.2 Environmental precautions

 Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7- Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to Section 8 Exposure Controls/Personal Protection

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLVs TWA	OSHA PELs TWA	NIOSH RELs TWA	DFG MAK TWA
Quartz (crystalline silica)	14808-60-7	0.025 mg/m ³ R	0.05 mg/m ³	0.05 mg/m ³	N/A
Titanium dioxide	13463-67-7	10 mg/m ³	15 mg/m ^{3 a}	N/A	0.3 mg/m ^{3 b} R
Boron oxide	1303-86-2	10 mg/m ^{3 a}	15 mg/m ^{3 a}	10 mg/m ^{3 a}	N/A
Zinc oxide	1314-13-2	2 mg/m³ R	15 mg/m ^{3 a} 5 mg/m ^{3 b}	5 mg/m³ (dust only)	0.1 mg/m ³ R
Cupric oxide	1317-38-0	1 mg/m³ (dusts & mists)	15 mg/m ³ (dusts & mists)	1 mg/m³ (except fume)	N/A
a Total b Respirable			R Measured as N/A Not applicab	s respirable fraction of the	e aerosol

8.2 Exposure Controls:

Appropriate engineering controls

• No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory: Under normal conditions of use, a respirator is not usually required. Use appropriate respiratory

protection when handling to minimize exposure to vapours. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A

respiratory protection program compliant with all applicable regulations must be followed

whenever workplace conditions require the use of a respirator.

Eyes/Face: If contact is likely, safety glasses with side shields are recommended. An eyewash bottle or

station should be available in the workplace. Wear a face shield if splash or spray is likely.

Hands: Use good industrial hygiene practices to avoid skin contact. If contact with the material may

occur, wear chemically protective gloves.

Body/Skin: Wear chemically impervious gloves, coveralls, apron, boots as necessary to minimize contact.

Do not wear rings, watches or similar apparel that could entrap the material.

Thermal Hazards: None known

Environmental Exposure

Controls: Not available

Hygiene Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing

measures: should not be allowed out of the workplace and should be washed before reuse. When using the

product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance: Physical state: Color: Odor:	Liquid See section 1.1 None	Partition Coefficient n-octanol/water: Auto-ignition temperature:	Not available Not available
pH (as supplied):	8 - 9	Decomposition temperature:	Not available
Freezing point:	32°F	Dynamic viscosity:	Not available
Boiling point:	100°F	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	Not available
Flammability:	Not available	Oxidizing properties:	Not available
Upper/lower explosive limits:	Not available	Surface tension:	Not available
Vapor pressure:	Not available	Volatile component:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	Not available	VOC:	Not available
Relative density:	Not available	Particle size range:	Not available

9.2 Other information

No data available

Section 10 - Stability and Reactivity

10.1 Reactivity

This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- · Strong bases
- Strong reducing agents
- Strong oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other
products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion,
burning, or decomposition of dry solids.

Section 11 – Toxicological Information

11.1. Information on hazard classes:

Likely routes of exposure: Skin/eye contact, inhalation of vapors.

Potential signs and symptoms:

Acute oral toxicity: Manganese dioxide (CAS No. 1313-13-9) has been classified for acute oral

toxicity (Category 4) and zinc pyrithione (CAS No. 13463-41-7) has been classified for acute oral toxicity (Category 3); however, the product is practically nontoxic based on available animal and human use data. The oral ATE for the

whole product is >2000 mg/kg.

Acute dermal toxicity: The product is practically non-toxic based on available animal and human use

data. The dermal ATE for the whole product is >5000 mg/kg.

Acute inhalation toxicity: Manganese dioxide (CAS No. 1313-13-9) has been classified for acute

inhalation toxicity (Category 4) and zinc pyrithione (CAS No. 13463-41-7) has been classified for acute inhalation toxicity (Category 2); however, the product is practically non-toxic based on available animal and human use data. The

inhalation ATE for the whole product is >5 mg/L.

Skin corrosion/irritation: The ingredients in this product >1% are not corrosive to the skin or skin irritants

based on human and/or animal studies.

Serious eye damage/irritation: Feldspar (CAS No. 68476-25-5) has been classified for eye irritation

(Category 2). Product classification is not warranted for eye irritation based on a review of available data. The other ingredients in this product >1% are not damaging to the eyes or eye irritants based on human and/or animal studies.

Respiratory or skin sensitization: Cobalt (II, III) oxide (CAS No. 1308-06-1) has been classified for respiratory

sensitization (Category 1B). Product classification is not warranted for

respiratory sensitization based on a review of the available data and the form of cobalt present in the product (*i.e.*, cobalt is bound to a matrix/complex which reduces the availability of cobalt in the body). The other ingredients in this product >0.1% are not sensitizing to the skin or respiratory system based on

human and/or animal studies.

Mutagenicity: The ingredients in this product >0.1% are not mutagenic based on animal

studies or no data identified for the components in this product.

Carcinogenicity: Quartz (crystalline silica) (airborne, unbound particles of respirable size)

(CAS No. 14808-60-7) has been classified for carcinogenicity (Category 1). Quartz (crystalline silica) [listed as silica dust, crystalline, in the form of quartz or cristobalite (CAS No. 14808-60-7)] is listed as a carcinogen by IARC, NTP and ACGIH. Titanium dioxide (airborne, unbound particles of respirable size) (CAS No. 13463-67-7) has been classified for carcinogenicity (Category 2).

Titanium dioxide (airborne, unbound particles of respirable size)

(CAS No. 13463-67-7) is listed as a carcinogen by IARC and ACGIH. Product classification is not warranted for carcinogenicity based on nature of the product

(i.e., liquid glaze). The other ingredients in the product >0.1% are not

carcinogenic based on animal studies or no data identified for the components in

this product.

Reproductive Toxicity: Boron oxide (CAS No. 1303-86-2) has been classified for reproductive toxicity

(Category 1B; may damage fertility or the unborn child). Product classification is not warranted given that the hazardous boron is completely incorporated into the glassy structure of the frit (chemically reacted in the form of silicates or other essentially insoluble complexes). Zinc pyrithione (CAS No. 13463-41-7) has been classified for reproductive toxicity (Category 1B; may damage fertility or the unborn child). Product classification is not warranted for this effect given the concentration of zinc pyrithione in the product. The other ingredients in this product >0.1% are not reproductive toxicants based on animal studies, or no

data identified for the components in this product.

Specific target organ toxicity (single exposure):

Cupric oxide (CAS No. 1317-38-0) has been classified for specific target organ toxicity (single exposure, Category 2; may cause irritation to the gastrointestinal tract through oral exposure). Zinc oxide (CAS No. 1314-13-2) has been classified for specific target organ toxicity (single exposure, Category 2; may cause irritation to the gastrointestinal tract through oral exposure). Product classification is warranted for gastrointestinal irritation given the concentration of cupric oxide and zinc oxide in the product and a review of available data. Feldspar (CAS No. 68476-25-5) has been classified for specific target organ toxicity (single exposure, Category 3; may cause respiratory irritation). Product classification is not warranted for this effect based on a review of available data and the nature of the product (*i.e.*, liquid glaze). The other ingredients in this product >1% are not single exposure specific target organ toxicity (single exposure) hazards based on animal studies or no data identified for the components in this product

Specific target organ toxicity (repeated exposure):

Quartz (crystalline silica) (CAS No. 14808-60-7) has been classified for specific target organ toxicity (repeated exposure, Category 1; causes damage to lungs through prolonged or repeated exposure *via* inhalation). Product classification is not warranted for this effect given the nature of the product (*i.e.*, liquid glaze). Zinc pyrithione (CAS No. 13463-41-7) has been classified for specific target organ toxicity (repeated exposure, Category 1; causes damage to lungs through prolonged or repeated exposure). Product classification is not warranted for this effect given the concentration of zinc pyrithione in the product. The other ingredients in this product >1% are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.

Aspiration hazard:

The ingredients of this product >1% are not aspiration hazards based on animal studies or no data identified for the components in this product.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. https://echa.europa.eu/search-for-chemicals

IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1–129. https://monographs.iarc.who.int/list-of-classifications/

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc15
Official Journal of the European Union. 2008. Regulation (EC) No 1272/2008.
https://ntp.niehs.nih.gov/go/roc15
Official Journal of the European Union. 2008. Regulation (EC) No 1272/2008.

Section 12 - Ecological Information

12.1 Toxicity

• Environmental hazards are outside the scope of OSHA. Based on the criteria outlined in the 10th revision of the GHS, product classification for acute and chronic aquatic toxicity (Category 1) is warranted which results in the Transportation Information provided in Section 14.

Chemical Name	CAS No.	Species	Result
	1044 40 0	Danio rerio	LC ₅₀ (96h): 1.793 mg/L (bulk ZnO) nominal EC ₅₀ (84h): 2.066 mg/L (bulk ZnO) nominal
Zinc oxide		Danio rerio	NOEC (32d): ≥540 μg/L nominal
ZITIC OXIGE	1314-13-2	Daphnia magna	EC ₅₀ (48h): >1.4 - <2.5 mg/L nominal
		Daphnia magna	EC ₁₀ (21d): 127 μg/L nominal EC ₁₀ (21d): 195 μg/L nominal
Cupric oxide 1317-3		Fathead minnow	LC ₅₀ (96h): 38.4 μg/L – 256.2 μg/L
	1317-38-0	Daphnia magna	NOEC (32d): 188 μg Cu/L
		Raphidocelis subcapitata	NOEC (48h): 1 μg/L - 35 μg/L
		Lemna minor	NOEC (7d): 30 μg/L

		Oncorhynchus mykiss	LC ₅₀ = 0.8 mg Co/L
Cobalt (II, III) oxide	1308-06-1	Danio rerio	LC ₅₀ = 85 mg Co/L
		Cladoceran	LC ₅₀ = 0.61 mg Co/L
			EC ₅₀ = 52 μg/L
Zinc pyrithione	13463-41-7	Pimephales promelas	LC ₅₀ (96h): 0.0026 mg/L NOEC (96h): 0.011 mg/L
		Daphnia magna	LC ₅₀ (48h): 0.0082 mg/L NOEC (48h): 0.011 mg/L
		Selenastrum capricornutum	EC ₅₀ (120h): 0.028mg/L NOEC (120h): 0.0078 mg/L

12.2 Persistence and degradability

No data available for the product.

12.3 Bioaccumulative potential

Cobalt (II, III) oxide (CAS No. 1308-06-1) has a bioconcentration factor of 180 – 4000.

12.4 Mobility in Soil

No data available for the product.

12.5 Results of PBT and vPvB assessment

• No data available for the product.

12.6 Endocrine disrupting properties

• No data available for the product.

12.7 Other adverse effects

No further data available.

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. https://echa.europa.eu/search-for-chemicals

Section 13 – Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging may exhibit hazards.

Section 14 – Transport Information

Note: This product is regulated as dangerous goods for transport.

14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
14.3 Transport hazard class(es):	9
14.4 Packing group	III
14.5 Environmental hazards	Acute and Chronic
14.6 Special precautions for user	274, 335, 601
14.7 Maritime transport in bulk according to IMO instruments	If the product is transported in bulk, the regulations are applied to the product.

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

The ingredients in this product >0.1% are not subject to reporting under CERCLA.

Clean Water Act (CWA): The ingredients in this product are not listed as toxic pollutants.

Clean Air Act (CAA): The ingredients in this product are not listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: The ingredients in this product are not subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: None.

SARA 311/312 Hazards: None.

SARA 313 Components: Copper compounds and aluminum oxide (CAS No. 1344-28-1) are subject to reporting requirements of S.313. The other ingredients in this product are not subject to reporting requirements of S.313. **Toxic Substances Control Act (TSCA):** Bentonite (CAS No. 1302-78-9) is not listed on the TSCA. All other ingredients are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California: Quartz (crystalline silica) [(listed as silica, crystalline (airborne particles of respirable size)] and titanium dioxide (airborne, unbound particles of respirable size) are listed on the California Proposition 65 List, as chemicals known to the State of California to cause cancer. Given the nature/physical form of the product (*i.e.*, liquid glaze) airborne respirable particles would not likely be released from this product and therefore the listed form of silica, crystalline and titanium dioxide is not relevant for the product. Cobalt is listed on the California Proposition 65 List as a chemical known to the State of California to cause cancer; however, a screening assessment indicates that the concentration of cobalt in the product is not expected to be a cause for concern and require warnings for the purpose of California Proposition 65. The other ingredients in this product are not listed.

International:

IARC: Quartz (crystalline silica) (CAS No. 14808-60-7) is listed in Group 1, carcinogenic to humans. Titanium dioxide (CAS No. 13463-67-7) is listed in Group 2B, possibly carcinogenic to humans. Cobalt oxide (CAS No. 1308-06-1) (listed as cobalt (II, III) oxide), is classified as Group 3, not classifiable as to its carcinogenicity to humans. The other ingredientsof this product are not classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

• None available for the components in this product.

Section 16 – Other Information

ACMI Seal

The product, STONEWARE GLAZES [BLACK WALNUT (SW104), GREEN TEA (SW108), OLIVINE (SW127), MIRROR BLACK (SW132), AURORA GREEN (SW146), OLIVE FLOAT (SW151), SATIN PATINA (SW164), SAND & SEA (SW167), EMERALD (SW210), BLUE OPAL (SW252), COPPER WASH (SW304), RAINFOREST (SW185), LIGHT FLUX (SW401), DARK FLUX (SW402), ANTIQUE BRASS (SW182), OXBLOOD (SW183), SPECKLED TOAD (SW184), IVY (SW193)], must be properly labeled for known health risk [i.e., gastrointestinal irritation as a result of acute oral exposure] and should reflect the ACMI CL Seal.



List of acronyms and abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists	OSHA: Occupational Safety and Health Administration
ATE: Acute Toxicity Estimate	PBT: Persistent, Bioaccumulative and Toxic
CAA: Clean Air Act	PEL: Permissible Exposure Level
CAS: Chemical Abstract Service Number	PPE: Personal Protective Equipment
CERCLA: Comprehensive Environmental Response and	REACH: Registration, Evaluation, Authorisation and
Liability Act	Restriction of Chemicals
CWA: Clean Water Act	REL: Recommended exposure level
DFG MAK: Deutsche Forschungsgemeinschaf Maximale Arbeitsplatzkonzentration	SARA: Superfund Amendment and Reauthorization Act
EC: European Commission	SDS: Safety Data Sheet
ECHA: European Chemicals Agency	TLV: Threshold limit value
GHS: Global Harmonized System	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time-weighted average
IMO: International Maritime Organization	UN: United Nations
N/A: Not applicable	VOC: Volatile Organic Compound
NIOSH: National Institute for Occupational Safety & Health	vPvB: very Persistent, very Bioaccumulative
NTP: National Toxicology Program	

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. https://echa.europa.eu/search-for-chemicals

IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1-129. https://monographs.iarc.who.int/list-of-classifications/

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc15
Official Journal of the European Union. 2008. Regulation (EC) No 1272/2008.
http://data.europa.eu/eli/reg/2008/1272/2022-03-01

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a 1st revision Safety Data Sheet.

Creation Date: April 27, 2021

Revision Date: October 31, 2023